## How to Configure OrbitNote as a Trusted Third Party App in the Google Admin Console

Last Modified on Friday, 15-Mar-2024 19:08:23 GMT

Sign in with your Admin account at admin.google.com

Navigate on the left sidebar to Security -> Access and data control -> API Controls

## Then click on "Manage Third Party-App Access"

= 💽 Admin	Q Search for users, groups or settings			¢
<ul> <li>Home</li> <li>Dashboard</li> <li>Directory</li> <li>Directory</li> <li>Devices</li> <li>HAPS</li> <li>Security 1</li> <li>Overview</li> <li>Alert center</li> <li>Authentication</li> </ul>	Security > API Controls           API controls           Use these controls to manage the API access internal apps and third-party apps have to users' Google data.	App access control Manage app access to users' Google data Apps on your Google Workspace Marketp Overview	Iata. Learn about app access controls         etplace allowilist and Android and IOS apps on your Web and mobile apps list are automatically trusted.         0 restricted Google services       0 apps pending review         18 unrestricted Google services       29 configured apps         MANAGE GOOGLE SERVICES       13 accessed apps         4       Image: Manage Third-PARTY APP Accest	
Access and data control 2     API controls 3     Client-side encryption     Data protection     Google Session control     Google Cloud session     control		Settings New Custom user message On Users under 18 requests to access uncom Allow users under 18 to request access	Unconfigured third-party apps Users 18 and older: Don't allow users to ac party apps Users under 18: Allow users to access thir that only request basic info needed for Sig Google	Internal apps icess any third Trust internal apps d-party apps in with

Click on "Add app" -> "OAuth App Name or Client ID"



## Search for "OrbitNote" and then select the result:

× Configure an OAuth app							
1 App — 2 OAuth client IDs — 3 Scope — 4 Access to Google Data — 5 Review							
	Арр	Search for an app by name or client ID. You can then select the app to configure an access setting for it.					
		Search for OAuth app name or client ID Orbitnote SEARCH					
		App name					
		OrbitNote					

Make sure to check **all** scopes then continue and configure as "Trusted" for the desired organizational units

OAuth client IDs	Check the boxes for the client IDs you want to configure, then click Select.				
	OAuth Client ID	Туре			
	243341882805-4e3fs19mqa8olc5e8vt86chmk0eejpl1.apps.googleusercontent.com	Web			
	243341882805-ah59e7mg9ccjnft0nu5mgopk60k4u2bs.apps.googleusercontent.com	Web			
	243341882805-fav9vbuf7c132v7lkvav10h32o5gds7q.apps.googleusercontent.com	Web			
	243341882805-gldjffc0aa5angvaauku8kjdnenian8t.apps.googleusercontent.com	Web			
	243341882805-gqvp3jffcpj3bn588oeum6i0rdvq9lgj.apps.googleusercontent.com	Web			
	243341882805-ifm1nlmmaiphpqltrhc3am7tf31cttc2.apps.googleusercontent.com	Web			
PACK		SELECT			

BACK

## And Finish

For selected org units, access settings you configure also apply to their sub-org units, unless those sub-org units     previously had settings configured. View configured apps to see which org units have configured settings.     Learn how to check access settings	
App orbitNote	
Client ID Selected Client ID (7) 243341882805-4e3fs19mqa8olc5e8vt86chmk0eejpl1.apps.googleusercontent.com, 243341882805-ah59e7mg9ccjnft0nu5mgopk60k4u2bs.apps.googleuse rcontent.com, 243341882805-fav9vbu17c132v7lkvav10h32o5gds7q.apps.googleusercontent.com, 243341882805-gldjffc0aa5angvaauku8kjdnenian8t.apps.g oogleusercontent.com, 243341882805-gavp3jffcpj3bh588oeum60irdvq91gj.apps.googleusercontent.com, 243341882805-lfm1nimmaiphpqltrhc3am7tf31cttc 2.apps.googleusercontent.com	
Scope Org Unit (1) gedudemosupport.com	
Access to Google Data Trusted	
BACK FINISH	